


CARGOGLIDE®

WE MAKE WORK VEHICLES WORK BETTER



Access to your tools and materials has never been easier with CargoGlide's sliding wall and floor solutions for trucks and vans.

SUPPORTING
MEMBER OF



NTEA

WWW.CARGOGLIDE.COM

877-525-9535



CARGOGLIDE®

Imagine never having to climb into your truck or van to retrieve anything! Welcome to CargoGlide's industrial pull out wall and floor vehicle solutions.

CargoGlide's weight capacity accepts loads up to 2,200 lbs. and extends up to 100% of its own length out the rear of your truck bed. WallSlide's weight capacity is 500 lbs. on each wall and extends up to 70% of its own length out the rear and side of your van with options to extend 100% with a 1,500 lbs. payload.

CargoGlide is built for industrial strength and durability. USA Steel Frame - Stainless Steel Bolts - 48" Width Deck Clearance - No Plastic Parts - Industrial Products for Intense Industrial Needs




Whether you are hauling heavy tools, making dozens of deliveries, or answering several service calls...


CARGOGLIDE is simply a SAFER, more EFFICIENT, and PRODUCTIVE way to get to your gear.



At its core, poor ergonomics is repetitive motions in awkward, stressful body positions that force over-exertions onto pressure points and joints. From bending, kneeling, squatting to handling heavy objects while stretching up and outward – These are the type of bodily activities that are the leading cause of *musculoskeletal disorders*. It is not a matter of IF but a matter of WHEN it will happen. This disorder is responsible for 33% of all days lost on the jobsite, almost 50% of all compensation claims and costs employers \$15 billion dollars annually.⁽¹⁾⁽²⁾⁽³⁾ Whether it's developed over time or it happens instantly, *musculoskeletal disorder* is a real threat to workers and employers.



The solution is to do things right the first time. Stop injuries, down time, and claims before they happen. Get the right tools for the job. Equipping vehicles with a proper ergonomic system can change everything. **CARGOGLIDE** helps eliminate awkward and unbalanced positions on the job site thus reducing the chance of sudden injury and long term *musculoskeletal disorder*. Creating a smart workplace environment with good ergonomics reduces accidents, increases efficiency and productivity.



(1) "Simple Solutions for Home Building Workers. A Basic Guide for Preventing Manual Material Handling Injuries." DHHS (NIOSH). Publication No. 2013-111. June 2014
(2) Foulks, Tim. "Ergonomics in Gerenal Construction: An Emerging Technique." Third Quarter 2015 Report by Safety Resources, Inc., Indianapolis, IN. July 2015
(3) "Laborers' Health and Safety Fund of North America, The Power to Protect." Washington, D.C. Ergonomics and Construction - The Smart Move.



- Length** 36" - 75"
- Width** 24" - 48"
- Deck Height** 4.5"
- Side Rails** 4" with 8" High Sides
- Weight** 165 - 295 lbs

Custom Sizes Available

A **CARGOGLIDE XL** model is designed to roll 100% out the back of your vehicle. A *Recessed Handle* doesn't use any valuable storage space. 48" of deck clearance allows stowage of a sheet of plywood. *Side Thrust Bearings* enable smooth operation when the vehicle is parked off-camber.





- Length** 36" - 95"
- Width** 24" - 48"
- Deck Height** 6.25" or 5.25" Low Profile Option
- Side Rails** 4" with 8" High Sides
- Weight** 345 - 430 lbs.

Custom Sizes Available

A **CARGOGLIDE XL** model is designed to roll 100% out the back of your vehicle. A *Recessed Handle* doesn't use any valuable storage space. 48" of deck clearance allows stowage of a sheet of plywood. *Side Thrust Bearings* enable smooth operation when the vehicle is parked off-camber.



Made In USA



Industrial Laminated 3/4" Marine Grade Plywood

Aluminum, Steel & Diamond Plate Deck Available

2,200 lbs. Capacity

Full Perimeter Tie Down Track

Preassembled For 30 Min. Installation

Side Thrust Bearings For Smooth Operation While Vehicle Is Tilted

24 Cam Follower Needle & Sealed Ball Bearings

100% Extension

USA Steel Frame



Cam Follower Bearing



- Length** 48" - 95"
- Width** 24" - 48"
- Deck Height** 6.5" or 5.5" Low Profile Option
- Side Rails** 4" with 8" High Sides
- Weight** 330 - 450 lbs.

Custom Sizes Available

A **CARGOGLIDE XL** model is designed to roll 100% out the back of your vehicle. A *Recessed Handle* doesn't use any valuable storage space. 48" of deck clearance allows stowage of a sheet of plywood. *Side Thrust Bearings* enable smooth operation when the vehicle is parked off-camber.



CARGOGLIDE® SERVICE BODIES



- Length** 48" - 132"
- Width** 24" - 48"
- Deck Height** 6.5" or 5.5" Low Profile Option
- Side Rails** 4" with 8" High Sides
- Weight** 330 - 600 lbs.

Custom Sizes Available

The bed of a service body is the most inaccessible place to store your materials. **CARGOGLIDE** can customize any model they make to fit into the bed of your service body work truck. With **CARGOGLIDE** the front of your bed will become accessible. Never again will you climb into the back of your service bed.





Length	36" - 95"
Width	24" - 48"
Deck Height	3.875"
Side Rails	4"
Weight	140 - 185 lbs.

Custom Sizes Available

CARGOGLIDE units with 65 to 70% extension are designed with a low profile deck height of 3.875". With *Recessed Handles* and room for a sheet of plywood, our units work seamlessly with your vehicle. *Side Thrust Bearings* allow for smooth operation while the vehicle is parked off-camber.






- Length** 36" - 95"
- Width** 24" - 48"
- Deck Height** 3.875"
- Side Rails** 4"
- Weight** 140 - 195 lbs.

Custom Sizes Available

CARGOGLIDE units with 65 to 70% extension are designed with a low profile deck height of 3.875". With *Recessed Handles* and room for a sheet of plywood, our units work seamlessly with your vehicle. *Side Thrust Bearings* allow for smooth operation while the vehicle is parked off-camber.





- Length** 36" - 95"
- Width** 24" - 48"
- Deck Height** 4.25"
- Side Rails** 4"
- Weight** 140 - 205 lbs.

Custom Sizes Available

CARGOGLIDE units with 65 to 70% extension are designed with a low profile deck height of 4.875". With *Recessed Handles* and room for a sheet of plywood, our units work seamlessly with your vehicle. *Side Thrust Bearings* allow for smooth operation while the vehicle is parked off-camber.





Industrial Laminated 3/4" Marine Grade Plywood

Aluminum, Steel & Diamond Plate Deck Available

1,800 lbs. Capacity

Full Perimeter Tie Down Track

Preassembled For 30 Min. Installation

Side Thrust Bearings For Smooth Sliding While Vehicle Is Tilted

6 Cam Follower Needle & Sealed Ball Bearings

USA Steel Frame

65-70% Extension

LOCK RELEASE

Recessed Handle Allows For Maximum Storage Area



- Length** 36" - 95"
- Width** 24" - 48"
- Deck Height** 4.75"
- Side Rails** 4" with 8" High Sides
- Weight** 190 - 255 lbs.


Custom Sizes Available

A **CARGOGLIDE HD** model is built for intense industrial demands. Our *Heavy Duty* design with *Recessed Handles* and wide deck space allow the user to utilize the most storage area possible. *Side Thrust Bearings* keep the frame operating smoothly when your vehicle is parked off-camber.



Made In USA

CARGOGLIDE® CG2200HD



- Length** 36" - 95"
- Width** 24" - 48"
- Deck Height** 5.25"
- Side Rails** 4" with 8" High Sides
- Weight** 210 - 280 lbs.

Custom Sizes Available

A **CARGOGLIDE HD** model is built for intense industrial demands. Our *Heavy Duty* design with *Recessed Handles* and wide deck space allow the user to utilize the most storage area possible. *Side Thrust Bearings* keep the frame operating smoothly when your vehicle is parked off-camber.



CARGOGLIDE® CG2200HD-GN




Length	75" 80" 95"
Width	48"
Deck Height	5.25"
Side Rails	4" with 8" High Sides
Weight	243 - 295 lbs.

A **CARGOGLIDE GOOSENECK** unit can slide in and out while the trailer is attached. A center deck cover is included to use when not in tow.

GOOSENECK Models:
 CG2200HD-7548-GN
 CG2200HD-8048-GN
 CG2200HD-9548-GN



Made In USA



- Length** 30.5"
- Width** 38"
- Deck Height** 3.25"
- Side Rails** 4"
- Weight** 80 lbs.

Custom Sizes Available

CARGOGLIDE TRAILSLIDE fits Jeep JK 2 and 4 door models. *No-Drill* installation makes it easy to install in 30 minutes. We engineered this unit with a *Quiet Tech* design so you can ride down the trail assured not to add another rattle to your rig.



CARGOGLIDE® TRUCK WALLSLIDE



Motorized or Manual
Left and Right Walls

Weather Canopy

Lighting Available

Custom Shelves Available

Proximity Sensor Option



Truck WallSlide Comes
With Bare Aluminum Walls
That Are Compatible With
Most Brands Of Shelving

USA Steel Frame



Compatible With
CargoGlide Units

Ladder Rack

Height 36" - 95"
Length 24" - 48"
Weight Capacity 400 - 500 lbs.
500 lbs. Per Wall
*Options up to 1,500 lbs.

TRUCK WALLSLIDE can be customized to fit your specific needs. The steel framework delivers aluminum walls straight to you at chest height to grab your tools and materials. Customize the shelving for your business. A ceiling slide rail will safely store your ladder out of the weather.



Custom Sizes Available



Height 24" - 60"
Length 30" - 110"
Weight Capacity 500 - 600 lbs.
 500 lbs. Per Wall
 *Options up to 1,500 lbs.

Custom Sizes Available

The **WALLSLIDE** system is a steel framework mounted inside the van with aluminum sliding bare walls. You can mount most brands and sizes of shelving to **WALLSLIDE**. You can be as creative as you need to be when you choose how to best maximize the storage space in your van.





Motorized or Manual
Left and Right Walls



Ceiling Canopy
With Lighting



Ladder Rack




The **CARGOGLIDE WALLSLIDE** system has several options designed to improve safety, efficiency and productivity on your jobsite. A powder coated steel framework supports the sliding walls made from a solid sheet of 1/8 inch aluminum that your customized shelving will attach to. The supporting rail structure is made from high strength 6061-T6 hardened aircraft grade aluminum alloy and slides on industrial cam follower needle bearings. Remote controlled motor options drive to open and close the walls. The optional Ceiling and Wall Canopy will keep your cargo safe from inclement weather.




CARGOGLIDE® ACCESSORIES



CGHS 48 - Powder Coated High Sides




CGHS 48-A - Aluminum High Sides




CGCTTD 4 - Tie Down Eye Bolts



CGCLTD 4 - Outside Tie Downs



CGCR65 - CGCR75 - CGCR95 - Ladder Rack



Drop Link Kit - Call for Fitment

CARGOGLIDE® ACCESSORIES




CGCD-6-48 - Cargo Divider



CGSL-1- Suspension Stabilizing Cargo Legs



Steel Deck - Powder Coated White



Diamond Plated Deck - Raw



Aluminum Deck - Line-X

CARGOGLIDE has several deck material options to pick from. Customers can choose to use the standard 3/4" Marine Grade Plywood or upgrade to Aluminum, Steel, or Diamond Plate. The metal material will have a shorter deck height over the standard plywood. Aluminum will weigh less over other types of materials and resist extreme weather conditions.

The finish of the aluminum decks can be manufactured with Line-X or Laminate. Steel and Diamond Plated decks can be delivered raw, laminated, or coated with Line-X.





For More Sizes See www.CargoGlide.com

2019 APPLICATION GUIDE		65%, 70% and 75% Extension Models				100% Extension			
Year	Vehicle / GMC	CG1000	CG1200	CG1500	CG1800HD	CG2200HD	CG1000XL	CG1500XL	CG2200XL
1970 - 2019	Silverado / Sierra - 8' Bed	65	CG1200-9548	CG1500-9548	CG1800HD-9548	CG2200HD-9548	N/A	CG1500XL-9548	CG2200XL-9548
1970 - 2019	Silverado / Sierra - 6.5' Bed	70	CG1000-7548	CG1200-7548	CG1500-7548	CG1800HD-7548	CG1000XL-7548	CG1500XL-7548	CG2200XL-7548
2005 - 2019	Silverado / Sierra Crew Cab - 5.5' Bed	75	CG1000-6548	CG1200-6548	CG1500-6548	CG2200HD-6548	CG1000XL-6548	CG1500XL-6548	CG2200XL-6548
2002 - 2013	Avalanche / Escalade Ext (CUSTOM **)	75	CG1000-5748	CG1200-5748	Custom *	Custom *	CG1000XL-5748	Custom *	Custom *
2004 - 2019	Colorado / Canyon Std & Ext Cabs - 6' Bed	70	CG1000-7041	CG1200-7041	CG1500-7041	Custom *	CG1000XL-7041	Custom *	Custom *
1993 - 2019	Colorado / Canyon / S-10 - 5' Bed	75	CG1000-5841	CG1200-5841	CG1500-5841	Custom *	CG1000XL-5841	Custom *	Custom *
1992 - 2016	Suburban / Yukon XL (CUSTOM **)	75	CG1000-6347	CG1200-6347	CG1500-6347	Custom *	Custom *	Custom *	Custom *
1999 - 2016	Tahoe (CUSTOM **)	75	CG1000-4146	CG1200-4146	CG1500-4146	Custom *	Custom *	Custom *	Custom *
Year	Ford	CG1000	CG1200	CG1500	CG1800HD	CG2200HD	CG1000XL	CG1500XL	CG2200XL
1970 - 2019	All F-Series - All Cabs - 8' Bed	65	CG1200-9548	CG1500-9548	CG1800HD-9548	CG2200HD-9548	N/A	CG1500XL-9548	CG2200XL-9548
2017 - 2019	Super-Duty - All Cabs - 6.76' Bed	70	CG1000-8048	CG1200-8048	CG1500-8048	CG2200HD-8048	N/A	CG1500XL-8048	CG2200XL-8048
1970 - 2019	Shortbed - All Cabs - 6.5' Bed	70	CG1000-7548	CG1200-7548	CG1500-7548	CG2200HD-7548	CG1000XL-7548	CG1500XL-7548	CG2200XL-7548
2001 - 2019	F150, Raptor - 5.5' Bed	75	CG1000-6548	CG1200-6548	CG1500-6548	CG2200HD-6548	CG1000XL-6548	CG1500XL-6548	CG2200XL-6548
1993 - 2011	Ranger - 6' Bed	70	CG1000-7038	CG1200-7038	Custom *	Custom *	CG1000XL-7038	Custom *	Custom *
1999 - 2016	Super-Duty - 6.75' Bed	75	CG1000-7848	CG1200-7848	CG1500-7848	Custom *	N/A	Custom *	Custom *
Year	Dodge	CG1000	CG1200	CG1500	CG1800HD	CG2200HD	CG1000XL	CG1500XL	CG2200XL
1970 - 2019	Ram 1500/2500/3500 - 8' Bed	65	CG1200-9548	CG1500-9548	CG1800HD-9548	CG2200HD-9548	N/A	CG1500XL-9548	CG2200XL-9548
1970 - 2019	Ram 1500/2500/3500 - 6.5' Bed W/O Bedliner	70	CG1000-7548	CG1200-7548	CG1500-7548	CG2200HD-7548	CG1000XL-7548	CG1500XL-7548	CG2200XL-7548
2009 - 2019	Ram 1500/2500 - 5.7' Bed	75	CG1000-6548	CG1200-6548	CG1500-6548	CG2200HD-6548	CG1000XL-6548	CG1500XL-6548	CG2200XL-6548
2005 - 2019	Ram - 5' Bed	70	CG1000-5841	CG1200-5841	Custom *	Custom *	CG1000XL-5841	Custom *	Custom *
Year	Toyota	CG1000	CG1200	CG1500	CG1800HD	CG2200HD	CG1000XL	CG1500XL	CG2200XL
2005 - 2019	Tacoma Regular & Access Cab - 6' Bed	70	CG1000-7041	CG1200-7041	CG1500-7041	Custom *	CG1000XL-7041	Custom *	Custom *
2005 - 2019	Tacoma - 5' Bed	70	CG1000-5841	CG1200-5841	Custom *	Custom *	CG1000XL-5841	Custom *	Custom *
2007 - 2019	Tundra Reg Cab/Dbl/CrewMax Cab - 6.5' Bed	70	CG1000-7548	CG1200-7548	CG1500-7548	CG2200HD-7548	CG1000XL-7548	CG1500XL-7548	CG2200XL-7548
2007 - 2019	Tundra Reg Cab & Dbl Cab - 8' Bed	65	CG1000-9548	CG1200-9548	CG1500-9548	CG2200HD-9548	N/A	CG1500XL-9548	CG2200XL-9548
2007 - 2013	Tundra CrewMax - 5.5' Bed	75	CG1000-6348	CG1200-6348	CG1500-6348	Custom *	CG1000XL-6348	CG1500XL-6348	CG2200XL-6348
2007 - 2019	Tundra - 6'2" Bed	70	CG1000-7348	CG1200-7348	Custom *	Custom *	CG1000XL-7348	Custom *	Custom *
Year	Nissan	CG1000	CG1200	CG1500	CG1800HD	CG2200HD	CG1000XL	CG1500XL	CG2200XL
2006 - 2019	Titan King Cab - 8' Bed	65	CG1000-9548	CG1200-9548	CG1500-9548	CG2200HD-9548	N/A	CG1500XL-9548	CG2200XL-9548
2004 - 2019	Titan King Cab - 6.5' Bed	70	CG1000-7548	CG1200-7548	CG1500-7548	CG2200HD-7548	CG1000XL-7548	CG1500XL-7548	CG2200XL-7548
2004 - 2019	Titan Crew Cab - 5.5' Bed	75	CG1000-6548	CG1200-6548	CG1500-6548	CG2200HD-6548	CG1000XL-6548	CG1500XL-6548	CG2200XL-6548
2000 - 2016	Frontier King and Crew Cab Regular Bed	70	CG1000-7038	CG1200-7038	Custom *	Custom *	CG1000XL-7038	Custom *	Custom *

PRODUCT DESCRIPTIONS

CG1000 1000 lb Capacity, Strong PowderCoated Steel Frame, 65%, 70% and 75% Extension, Pre-Assembled for Easy Install, 4" Side Rails with Integrated Full Perimeter TieDown Tracks and 4 Infinitely Adjustable EyeBolt Tie-Downs, 6 Industrial Cam Follower Needle and Ball Bearings, TPO Rubber Laminated 3/4" Plywood Deck

CG1200 1200 lb Capacity, Strong PowderCoated Steel Frame, 65%, 70%, and 75% Extension, Pre-Assembled for Easy Install, 4" Side Rails with Integrated Full Perimeter TieDown Tracks and 4 Infinitely Adjustable EyeBolt Tie-Downs, 6 Industrial Cam Follower Needle and Ball Bearings, TPO Rubber Laminated 3/4" Plywood Deck

CG1500 1500 lb Capacity, Strong PowderCoated Steel Frame, 65%, 70%, and 75% Extension, Pre-Assembled for Easy Install, 4" Side Rails with Integrated Full Perimeter TieDown Tracks and 4 Infinitely Adjustable EyeBolt Tie-Downs, 6 Industrial Cam Follower Needle and Ball Bearings, TPO Rubber Laminated 3/4" Plywood Deck

CG1800HD 1800 lb Capacity, Heavy Gauge PowderCoated Steel Frame, 65%, 70% and 75% Extension, 6 Industrial Cam Follower Needle and Ball Bearings, Pre-Assembled for Easy Install, 4" Side Rails with 8" HighSide Extensions Included with Integrated Full Perimeter TieDown Tracks and 4 Infinitely Adjustable EyeBolt Tie-Downs, TPO Rubber Laminated 3/4" Plywood Deck

CG2200HD 2200 lb Capacity, Reinforced PowderCoated Steel Frame, 65%, 70%, and 75% Extension, 8 Industrial Cam Follower Needle and Ball Bearings, Pre-Assembled for Easy Install, 4" Side Rails with 8" HighSide Extensions Included with Integrated Full Perimeter TieDown Tracks and 4 Infinitely Adjustable EyeBolt Tie-Downs, TPO Rubber Laminated 3/4" Plywood Deck

CG1000XL 1000 lb Capacity, PowderCoated Steel Frame, 100% Full Tray Extension, 32 Industrial Cam Follower Needle and Ball Bearings, Pre-Assembled for Easy Install, 4" Side Rails with 8" HighSide Extensions Included, Integrated Full Perimeter TieDown Tracks and 4 Infinitely Adjustable EyeBolt Tie-Downs, TPO Rubber Laminated 3/4" Plywood Deck

CG1500XL 1500 lb Capacity, Heavy Gauge PowderCoated Steel Frame, 100% Full Tray Extension, 36 Industrial Cam Follower Needle and Ball Bearings, Pre-Assembled for Easy Install, 4" Side Rails with 8" HighSide Extensions Included, Integrated Full Perimeter TieDown Tracks and 4 Infinitely Adjustable EyeBolt Tie-Downs, TPO Rubber Laminated 3/4" Plywood Deck

CG2200XL 2200 lb Capacity, Heavy Gauge PowderCoated Steel Frame, 100% Full Tray Extension, 28 Industrial Cam Follower Needle and Ball Bearings, Pre-Assembled for Easy Install, 4" Side Rails with 8" HighSide Extensions Included, Integrated Full Perimeter TieDown Tracks and 4 Infinitely Adjustable EyeBolt Tie-Downs, TPO Rubber Laminated 3/4" Plywood Deck

Please note: \$100 will be added to unit price for Any Deliveries to a Residential Address. Any Lift Gate, Access or other Delivery Fees will also be added.

* Custom sizes 36L 24w to 95L 48W will receive a \$100 surcharge per unit. Five or more units of same special order size, only one surcharge. Please call for details. Additional fees for other customizations.

+ CG1500XL and CG2200XL models are available in a LP (Low Profile) version with a 1 inch lower deck height off the floor of the vehicle than the standard model.

* Large capacity slides listed as Custom are not recommended for small trucks due to the weight of the slide and the load capacity of the small truck.

** No Drill Installation units may require user built mounting frames or brackets. No Drill Install Kits are Sold Separately. Please call for details.

Orders: sales@cargo.glide.com or Phone: 877-525-9535 or Fax: 855-329-6987

Support: support@cargo.glide.com or Phone: 877-525-9535

CALL for Custom Tray Sizes and Deck Surfaces

www.CargoGlide.com

rev 02-14-2019